


WARM SOLUTION



Easy Warm & Healthy Life

Made for warm moment

2026

COMPANY

XI AN BELLAVIE AND SUNBRIGHT GROUP CO., LTD.

11101, Floor 11, Suite 1, Building 12, Taihua Jinmao International Plaza, No.16 South of Fenghui Rd, Hi-Tech Zone, Xi'an, Shaanxi, China.

info@bstherm.com

www.bstherm.com

FACTORY 1

DONGGUAN SUNBRIGHT ELECTRIC APPLIANCE CO., LTD.

Building 1, No.2 Shangmei Road, Qishi Town, Dongguan, Guangdong, China

FACTORY 2

DONGGUAN SAINVIE HEALTH TECHNOLOGY CO., LTD.

Building 2, No.2 Shangmei Road, Qishi Town, Dongguan, Guangdong, China



XI AN BELLAVIE AND SUNBRIGHT GROUP CO., LTD.

BS group is a leading and professional electric heating products supplier in China.

We are focusing on the production of heating items for both 220-240V and 100-120V markets. The customers from Europe, North America, Australia, Asia, South America and South Africa all enjoy great cooperation with us. We have full set and latest certificates including CE, GS, EMC, CB, SAA, CCC, ROHS, REACH, UL, CUL, ETL, CETL, FCC, FDA, which can meet every customer's requirement.



OUR OWNED 2 FACTORIES AND R&D CENTER ARE LOCATED IN DONGGUAN.

We have the plant area 50000 sqm, more than 300 professional staffs who are working at administration, purchasing, production, finance, QC, R&D, after-sales departments. We owned many unique, customized leading machines such as ultra-sonic welding machine, special punching machine, quilting machine, automatic embroider machine, cutting machine. The R&D center was created to provide technological support, which has various professional tests including the heating wire bending test, simulated marine environment test, heating pad bending, twisting & folding test, temperature test, aging test, running test, with same testing standard as TUV SUD, Intertek and other qualified testing labs.

Our production ability is 5000-8000pcs heating products per day. In the peak season, the sufficient preparation, highly efficient production, vast warehouse could assure our customers timely delivery.

With advanced production equipment, mature technology process, strict management system, and rich industry experience, we are not only confident in supplying qualified heating items to all of our customers, but also concentrating on offering continuous innovations and reliable service.



20+
Years Experience

300+
Staffs

80+
Worldwide Countries




1000+
Partners

30
Millions+
Sales Volume

3
Millions+
Pieces Per Year

CERTIFICATES





CATALOGUE

01 Heating Blanket

Heating Throw
Electric Blanket
Queen & King Size Electric Blanket
Weighted Electric Blanket

17 Electric Mattress Pad

Warming Zone Mattress Pad
Electric Mattress Pad

19 Heating Pad

25 Weighted Heating Pad

Massage Weighted Heating Pad
Moist/Dry Heating Pad

29 Special Heating Pad

Neck and Shoulder Heating Pad
Big Heat Wrap
Big Massage Heat Wrap
Waist Warmer

35 Foot Warmer

38 Plate Warmer 12V Pet Heating Pad

39 For Japanese Market

41 USB Powered Series

43 Car Heating Blanket

Heating Blanket

Series

We focus on superior quality,
competitive price
and reliable services

- 45"x60"
- 50"x60"
- 60"x70"
- 62"x84"
- 72"x84"
- 77"x84"
- 80"x84"
- 84"x90"
- 100"x90"



Superior quality, competitive price and reliable services

NEW

K11



K10





- Voltage: 120V~ 60Hz
 - Washable due to detachable controller
 - Fast heating and overheating protection (PTC+NTC heating system)
- 10 heat settings
(1-2-3-4-5-6-7-8-9-H)



- Voltage: 120V~ 60Hz
 - Current time and temperature LCD display
 - Washable due to detachable controller
 - Fast heating and overheating protection (PTC+NTC heating system)
- 6 heat settings



4 time settings
(1h-2h-3h-4h)



8 time settings
(1h-2h-3h-4h-5h-6h-7h-8h)



Heating Throw Power: 115W

45"x60": SW-T1910A/SW-T1910B
 50"x60": SW-T1911A/SW-T1911B
 60"x70": SW-T1912A/SW-T1912B

Electric Blanket

62"x84" (Twin): SW-B1910 Power: 105W
 72"x84" (Full): SW-B1911A Power: 105W
 77"x84": SW-B1911B Power: 105W
 80"x84": SW-B1911C Power: 105W
 84"x90" (Queen): (Double Controllers) SW-B1912 Power: 115Wx2
 100"x90" (King): (Double Controllers) SW-B1913 Power: 105Wx2

Heating Throw Power: 115W

45"x60": SW-T1210A/SW-T1210B
 50"x60": SW-T1211A/SW-T1211B
 60"x70": SW-T1212A/SW-T1212B

Electric Blanket

62"x84" (Twin): SW-B1210 Power: 105W
 72"x84" (Full): SW-B1211A Power: 105W
 77"x84": SW-B1211B Power: 105W
 80"x84": SW-B1211C Power: 105W
 84"x90" (Queen): (Double Controllers) SW-B1212 Power: 115Wx2
 100"x90" (King): (Double Controllers) SW-B1213 Power: 105Wx2

Fast Heating Blanket

62"x84": SW-B1210F Power: 180W




8 time settings
(0.5h-1h-1.5h-2h-2.5h-3h-3.5h-4h)



8 time settings
(1h-2h-3h-4h-5h-6h-7h-8h)





- Voltage: 120V~ 60Hz
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

4 heat settings
(Warm-Low-Med-High)



A: Flannel + Flannel




B: Flannel + Sherpa



- Voltage: 120V~ 60Hz
- Current time and temperature level LCD display
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

6 heat settings
(1-2-3-4-5-6)



Detachable Controller



4 hours Auto-off

UL&cUL FC Prop65



10 hours Auto-off

UL&cUL FC Prop65

Heating Throw Power: 125W

- 45"x60": SW-P0110A/SW-P0110B
- 50"x60": SW-P0111A/SW-P0111B
- 60"x70": SW-P0112A/SW-P0112B

Electric Blanket Power: 120W

- 62"x84": SW-G0110A/SW-G0110B
- 72"x84": SW-G0111A/SW-G0111B
- 84"x90": SW-G0112A/SW-G0112B
Power: 130Wx2
- 100"x90": SW-G0114A/SW-G0114B
Power: 120Wx2

Fast Heating Blanket Power: 180W

- 62"x84": SW-G0110AF/SW-G0110BF
- 72"x84": SW-G0111AF/SW-G0111BF
- 84"x90": SW-G0112AF/SW-G0112BF

Heating Throw Power: 125W

- 45"x60": SW-P0210A/SW-P0210B
- 50"x60": SW-P0211A/SW-P0211B
- 60"x70": SW-P0212A/SW-P0212B

Electric Blanket Power: 120W

- 62"x84": SW-G0210A/SW-G0210B
- 72"x84": SW-G0211A/SW-G0211B
- 84"x90": SW-G0212A/SW-G0212B
Power: 130Wx2
- 100"x90": SW-G0214A/SW-G0214B
Power: 120Wx2

Fast Heating Blanket Power: 180W

- 62"x84": SW-G0210AF/SW-G0210BF
- 72"x84": SW-G0211AF/SW-G0211BF
- 84"x90": SW-G0212AF/SW-G0212BF



8 time settings
(0.5h-1h-1.5h-2h-2.5h-3h-3.5h-4h)

UL&cUL FC Prop65



20 time settings
(0.5h-1h-1.5h-2h-2.5h...10h)

UL&cUL FC Prop65



C01

- Voltage: 120V~ 60Hz
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

3 heat settings (Low-Med-High)



A: Flannel + Flannel



B: Flannel + Sherpa



Detachable Controller



C18

- Voltage: 120V~ 60Hz
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

3 heat settings (Low-Med-High)



4 hours Auto-off

FC Prop65

Heating Throw Power: 115W

- 45"x60": SW-T10A/SW-T10B
- 50"x60": SW-T11A/SW-T11B
- 60"x70": SW-T12A/SW-T12B

Electric Blanket

- 62"x84" (Twin): SW-B10 Power: 105W
- 72"x84" (Full): SW-B11A Power: 105W
- 77"x84": SW-B11B Power: 105W
- 80"x84": SW-B11C Power: 105W
- 84"x90" (Queen): (Double Controllers) SW-B12 Power: 115Wx2
- 100"x90" (King): (Double Controllers) SW-B13 Power: 105Wx2



8 hours Auto-off

FC Prop65



4 hours Auto-off

FC Prop65

Heating Throw Power: 115W

- 45"x60": SW-T1810A/SW-T1810B
- 50"x60": SW-T1811A/SW-T1811B
- 60"x70": SW-T1812A/SW-T1812B

Electric Blanket

- 62"x84" (Twin): SW-B1810 Power: 105W
- 72"x84" (Full): SW-B1811A Power: 105W
- 77"x84": SW-B1811B Power: 105W
- 80"x84": SW-B1811C Power: 105W
- 84"x90" (Queen): (Double Controllers) SW-B1812 Power: 115Wx2
- 100"x90" (King): (Double Controllers) SW-B1813 Power: 105Wx2



8 hours Auto-off

FC Prop65



SS31

- Voltage: 120V~ 60HZ
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

10 heat settings (1-2-3-4-5-6-7-8-9-10)

8 time settings (1h-2h-3h-4h-5h-6h-7h-8h)



SS39S SS40S SS41S SS42S SS43S

B09S6284

- Size: 62"x84"
- Material: Flannel & Sherpa fleece
- Voltage: 120V~ 60HZ
- Power: 165W

- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

10 heat settings (1-2-3-4-5-6-7-8-9-10)

8 time settings (1h-2h-3h-4h-5h-6h-7h-8h)

FC Prop65

SS09S



FC Prop65

Heating Throw

50"x60" T315060

- Material: Double side flannel fleece / Flannel & Sherpa fleece
- Voltage: 120V~ 60HZ
- Power: 120W

60"x70" T316070

- Material: Double side flannel fleece / Flannel & Sherpa fleece
- Voltage: 120V~ 60HZ
- Power: 145W

Electric Blanket

62"x84" B316284

- Material: Double side flannel fleece / Flannel & Sherpa fleece
- Voltage: 120V~ 60HZ
- Power: 165W



FC Prop65

Heating Throw

50"x60" T355060

- Material: Double side flannel fleece / Flannel & Sherpa fleece
- Voltage: 120V~ 60HZ
- Power: 120W

60"x70" T356070

- Material: Double side flannel fleece / Flannel & Sherpa fleece
- Voltage: 120V~ 60HZ
- Power: 145W



FC Prop65

SS35

- Voltage: 120V~ 60HZ
- Washable due to detachable controller
- Fast heating and overheating protection

4 heat settings (1-2-3-4)

4 hours Auto-off



Heated Throw/Poncho

24V low-voltage heated throw

- 24V Low Power Usage
- Electric Shock Hazard proof



UL & cUL FC Prop65



UL&cUL FC Prop65



SW-P0113B

- **Size:** 50"x60"
- **Material:** Flannel & Sherpa fleece
- **Voltage:** 120V~ 60Hz
- **Power:** 125W

- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

4 heat settings
(Warm-Low-Med-High)

4 hours
Auto-off



SW-P0213B

- **Size:** 50"x60"
- **Material:** Flannel & Sherpa fleece
- **Voltage:** 120V~ 60Hz
- **Power:** 125W

- Current time and temperature level LCD display
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

6 heat settings
(1-2-3-4-5-6)

8 time settings
(0.5h-1h-1.5h-2h-2.5h-3h-3.5h-4h)



SS28

- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

9 heat settings

9 time settings
(1h-2h-3h-4h-5h-6h-7h-8h-9h)



AC ADAPTER
INPUT:100-240V~50/60Hz,2.5A
OUTPUT:24.0V,4.2A,100.8W

Various Sizes

SS28102

- **Size:** 50"x60"
- **Material:** Double side flannel fleece /Flannel & Sherpa fleece
- **Power:** 100.8W
- **Color:** Customized

SS28101

- **Size:** 60"x70"
- **Material:** Double side flannel fleece /Flannel & Sherpa fleece
- **Power:** 100.8W
- **Color:** Customized

Fit-in Controller

Fit-in press button for easy operation



SW-P0911A

- Size: 45x60", 50x60", 60x70"
- Material: Double side flannel fleece
- Voltage: 120V~ 60Hz
- Power: 115W
- Fit-in press button for easy operation
- Washable due to detachable controller
- Fast heating and overheating protection

K09



Warm



Low



Med



High



4 heat settings
(Warm-Low-Med-High)



4 hours Auto-off



Weighted Electric blanket

Weighted Glass beads

Glass Beads: 6.8kg



UL FC Prop65

SW-ZG0110A

- Size: 60"x80"
- Material: Double side soft flannel
- Voltage: 120V~ 60Hz
- Power: 120W
- Washable due to detachable controller
- Fast heating and overheating protection

K01



4 heat settings
(Warm-Low-Med-High)



10 hours Auto-off

Wireless Remote Controller



K08



6 heat settings
(1-2-3-4-5-6)



20 time settings
(0.5h-1h-1.5h-2h-2.5h...10h)



SW-G0810A / SW-G0811A

- Size: 62x84" / 72x84"
- Material: Flannel fleece / Flannel & Sherpa
- Voltage: 120V~ 60Hz
- Power: 120W
- Wireless Remote Controller
- LCD display
- Washable due to detachable controller
- Fast heating and overheating protection

Glass Beads: 6.8kg




UL FC Prop65

SW-ZG0210A

- Size: 60"x80"
- Material: Double side soft flannel
- Voltage: 120V~ 60Hz
- Power: 120W
- Current time and temperature level LCD display
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

K02



6 heat settings
(1-2-3-4-5-6)



20 time settings
(0.5h-1h-1.5h-2h-2.5h...10h)

Glass Beads: 6.8kg



UL FC Prop65


SW-ZG0410A

- Size: 60"x80"
- Material: Double side soft flannel
- Voltage: 120V~ 60Hz
- Power: 120W
- Current time and temperature level LCD display
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

K04



6 heat settings
(1-2-3-4-5-6)



20 time settings
(0.5h-1h-1.5h-2h-2.5h...10h)



New Queen & King Size Electric Blanket



- **Material:** Jacquard sherpa fleece & White sherpa fleece
- **Voltage:** 120V~ 60Hz
- **Color:** Customized

- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

6 heat settings
(1-2-3-4-5-6)

20 time settings
(0.5h-1h-1.5h-2h-2.5h...-10h)

Various Sizes



- **US style :**
- **SW-G0416C**
84"x90", 120W x2 with 2 plugs
- **SW-G0417C**
90"x100", 130W x2 with 2 plugs



- **CA style :**
- **SW-G0418C**
84"x90", 120W x2 with 1 plug
- **SW-G0419C**
90"x100", 130W x2 with 1 plug

Desktop Wireless Remote Control for Queen & King Size Blanket



6 heat settings
(1-2-3-4-5-6)

20 time settings
(0.5h-1h-1.5h-2h-2.5h...-10h)

- Designed to dual heating zones of electric blankets. Specifically compatible with Queen and King size electric blankets
- Washable due to detachable controller
- Fast heating and overheating protection

SW-G0812A / SW-G0814A

- **Size:** 84x90" / 90x100"
- **Material:** Flannel fleece / Flannel & Sherpa
- **Voltage:** 120V~ 60Hz
- **Power:** 120Wx2



UL&cUL FC Prop65

Electric Mattress Pad

39"x75"

54"x75"

60"x80"

78"x80"

72"x84"



Multi-zone Heated Mattress Pad



10 Temperature Settings
0.5-12h 22 Time Settings
Built-in Over Temperature Protection



Multiple Warming Zones
6 Zones King & Queen
3 Zones Full & Twin
Relieves and Relaxes



Luxe Warm Comfort
Automatic Preheat
Soft Brushed Fabric



Knit Skirt Fits Up to 18"
Machine Wash
Dryer Safe

Various Sizes

- SW-ZM10** · Twin Size: 39"x75", Power: 200W
- SW-ZM11** · Full Size: 54"x75", Power: 200W
- SW-ZM12** · Queen Size: 60"x80", Power: 150W x 2 (Double Controllers)
- SW-ZM13** · King Size: 78"x80", Power: 200W x 2 (Double Controllers)
- SW-ZM14** · Cal King Size: 72"x84", Power: 200W x 2 (Double Controllers)

C10

Prop65

- **Material:** Shu velveteen/Sherpa fleece
- **Voltage:** 120V~ 60Hz
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

3 heat settings (Low-Med-High)

8 hours Auto-off

C01

Prop65

- **Material:** Shu velveteen/Sherpa fleece
- **Voltage:** 120V~ 60Hz
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

3 heat settings (Low-Med-High)

8 hours Auto-off

C18

Various Sizes

- SW-M10** · Twin Size: 39"x75", Power: 120W
- SW-M11** · Full Size: 54"x75", Power: 120W
- SW-M12** · Queen Size: 60"x80", Power: 150W x 2 (Double Controllers)
- SW-M13** · King Size: 77"x80", Power: 120W x 2 (Double Controllers)
- SW-M14** · Cal King Size: 72"x84", Power: 120W x 2 (Double Controllers)

Various Sizes

- SW-M1810** · Twin Size: 39"x75", Power: 120W
- SW-M1811** · Full Size: 54"x75", Power: 120W
- SW-M1812** · Queen Size: 60"x80", Power: 150W x 2 (Double Controllers)
- SW-M1813** · King Size: 77"x80", Power: 120W x 2 (Double Controllers)
- SW-M1814** · Cal King Size: 72"x84", Power: 120W x 2 (Double Controllers)

MULTIPLE WARMING ZONES

6 ZONES
KING & QUEEN


3 ZONES
FULL & TWIN




Heating Pad

Series

Wellness & Health Care
Ideal For Muscle
Joint Pain Relief



New Design



NA-H1521B

· Size: 12"x24"
· Material: Coral fleece & warp knitting fabric
· Voltage: 120V~ 60Hz
· Power: 85W

FC Prop65 ETL FDA

NA-H1521C

· Size: 20"x24"
· Material: Coral fleece & warp knitting fabric
· Voltage: 120V~ 60Hz
· Power: 100W

FC Prop65 ETL FDA

SS31

- 10 heat settings (1-2-3-4-5-6-7-8-9-10)
- 3 time settings (30-60-90mins)
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

H311224 FC Prop65 ETL FDA

- Size: 12"x24"
- Material: Coral fleece (Upper side) & Warp knitting fabric (Lower side)
- Voltage: 120V~ 60HZ
- Power: 85W

- Voltage: 120V~ 60Hz
- Color: Customized
- Current time and temperature level with LCD display
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

- 6 heat settings
- 3 time settings (30-60-90mins)

K10 **K11** **C12**

C19

- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)
- 10 heat settings (1-2-3-4-5-6-7-8-9-H)
- 120 mins Auto-off

SW-H1921A FC Prop65 ETL FDA

- Size: 12"x15"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60HZ
- Power: 50W

SW-H1221A FC Prop65 ETL FDA

- Size: 12"x15"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60Hz
- Power: 50W

SW-H1921B FC Prop65 ETL FDA

- Size: 12"x24"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60HZ
- Power: 85W

SW-H1921C / SW-H1921CF FC Prop65 ETL FDA

- Size: 20"x24"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60HZ
- Power: 100W/120W

SW-H1923C FC Prop65 ETL FDA

- Size: 17"x33"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60HZ
- Power: 135W

SW-H1221B FC Prop65 ETL FDA

- Size: 12"x24"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60HZ
- Power: 85W

SW-H1221C / SW-H1221CF FC Prop65 ETL FDA

- Size: 20"x24"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60HZ
- Power: 100W/120W

SW-H1223C FC Prop65 ETL FDA

- Size: 17"x33"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60HZ
- Power: 135W

Heating Pad



- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)
- Current time and temperature level LCD display
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

4 heat settings (Warm-Low-Med-High) **120 mins Auto-off**

6 heat settings (1-2-3-4-5-6) **4 time settings** (30-60-90-120mins)

FC Prop65 FDA

SW-H21A / SW-H21AF
SW-H1821A / SW-H1821AF

- Size: 12"x15"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60Hz
- Power: 50W / 120W

3 heat settings (Low-Med-High) **120 mins Auto-off**

3 heat settings (Low-Med-High) **90 mins Auto-off**

- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

UL&cUL FC Prop65 FDA

SW-F0110A/SW-F0210A

- Size: 12"x15"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60Hz
- Power: 45W

UL&cUL FC Prop65 FDA

SW-F0111A/SW-F0211A

- Size: 12"x24"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60Hz
- Power: 75W

UL&cUL FC Prop65 FDA

SW-F0112A/SW-F0212A

- Size: 17"x33"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60Hz
- Power: 135W

FC Prop65 FDA

SW-H21B / SW-H21BF
SW-H1821B / SW-H1821BF

- Size: 12"x24"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60Hz
- Power: 85W / 160W

FC Prop65 FDA

SW-H21C / SW-H21CF
SW-H1821C / SW-H1821CF

- Size: 20"x24"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60Hz
- Power: 100W / 120W

FC Prop65 FDA

SW-H23C/SW-H1823C

- Size: 17"x33"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60Hz
- Power: 135W

Weighted Heating Pad Series

Wellness & Health Care Ideal For Muscle Joint Pain Relief

- 12"x24"
- 20"x24"
- 17"x33"
- 18"x33"



- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

4 heat settings (Warm-Low-Med-High)

120 mins Auto-off

K01



Weighted Glass beads



Weighted Glass beads

- Current time and temperature level LCD display
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

6 heat settings (1-2-3-4-5-6)

4 time settings (30-60-90-120mins)

K02



UL&cUL FC Prop65 FDA

SW-ZF011A/SW-ZF021A

- Size: 12"x24"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60HZ
- Power: 75W

Glass Beads: 680g



UL&cUL FC Prop65 FDA

SW-ZF0114A/SW-ZF0214A

- Size: 20"x24"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60HZ
- Power: 140W

Glass Beads: 1064g



UL&cUL FC Prop65 FDA

SW-ZF0112A/SW-ZF0115A
SW-ZF0212A/SW-ZF0215A

- Size: 17"x33" / 18"x33"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60HZ
- Power: 135W

Glass Beads: 1361g



SS09S

H09S1733W

- Size: 17"x33"
- Material: Coral fleece & Sherpa fleece
- Voltage: 120V~ 60HZ
- Power: 160W

- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

10 heat settings (1-2-3-4-5-6-7-8-9-H)

120 mins Auto-off



Weighted Glass beads



C01

3 heat settings (Low-Med-High)

120 mins Auto-off



C18

3 heat settings (Low-Med-High)

90 mins Auto-off



Weighted Glass beads
Glass Beads: 680g

UL FDA

SW-GH1821BF/SW-GH21BF


- Size: 12"x24"
- Material: Coral fleece & Warp knitting fabric
- Voltage: 120V~ 60HZ
- Power: 160W

- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)



Weighted Glass beads

Weighted Massage Heating Pad



SW-GHM03

- Size: 12"x24"
- Material: Coral fleece and Warp knitting fabric
- Voltage: 120V~ 60Hz
- Power: 160W

- * 2 motors vibration for massage
- * 6 modes, 15 mins Auto-off

- Fast heating and overheating protection (PTC+NTC heating system)



3 heat settings (Low-Med-High)

120 mins Auto-off

Moist/Dry Heating Pad

PVC pad with sponge
Provide you moist and deep heat therapy treatment



SW-H10A

- Type: Moist/Dry with sponge
- Size: 12x15"
- Material: PVC pad with fleece cover, sponge
- Voltage: 120V~ 60Hz
- Power: 95W



SW-H10B

- Type: Moist/Dry with sponge
- Size: 12x24"
- Material: PVC pad with fleece cover, sponge
- Voltage: 120V~ 60Hz
- Power: 105W

Neck and Shoulder Heating Pad Series

Series

Accurate Heat Treatment for Body Parts

Neck and Shoulder Heating Pad



SW-F0121A

- Size: 22"x19"
- Voltage: 120V~ 60Hz
- Power: 100W

- Material: Super cosy flannel
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)



SW-F0120A

- Size: 23.5"x32"
- Voltage: 120V~ 60Hz
- Power: 140W

- Material: Super cosy flannel
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)



SW-F0221A

- Size: 22"x19"
- Voltage: 120V~ 60Hz
- Power: 100W

- Material: Super cosy flannel
- Current time and temperature level LCD display
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)



SW-F0220A

- Size: 23.5"x32"
- Voltage: 120V~ 60Hz
- Power: 140W


- Material: Super cosy flannel
- Current time and temperature level LCD display
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)



H351825

- Size: 18"x25"
- Material: Super cosy flannel
- Voltage: 120V~ 60Hz
- Power: 60W


- Washable due to detachable controller
- Fast heating and overheating protection



SW-H30A / SW-H1830B

- Size: 16"x23" / 18"x25"
- Material: Super cosy flannel
- Voltage: 120V~ 60Hz
- Power: 50W

- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)



SW-H1021F

- Size: 20"x24"
- Material: Super cosy flannel
- Voltage: 120V~ 60Hz
- Power: 85W
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)



Big Heat Wrap



- Neck Contour**
The heating wrap is designed with an **ergonomic collar** that fits well with neck contour, which also prevents heat on the shoulder and back area from dissipating quickly.
- Hands Free Design**
The **buttons** keep the heating pad in place around neck and shoulder for hands-free enjoyment, which **maximizes comfort** as well as convenience.
- Full Back Heating**
The large heating pad spreads heat evenly over the **entire back** and waist. Slightly weighty edges will help the pad drape naturally while keeping it flat.
- Flexible Wearing**
Slightly weighty edges and two long **straps** fixing the heating pad securely on different users for comfort and warmth.




SW-H1222D

- **Size:** 24"x33" / 24"x37"
- **Material:** Soft flannel fleece
- **Voltage:** 120V~ 60Hz
- **Power:** 135W
- Current temperature and time with LCD display
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

6 heat settings 3 time settings (30mins-60mins-90mins)

 **FDA Prop65**



H09S2436

- **Size:** 24"x36"
- **Material:** Soft flannel fleece
- **Voltage:** 120V~ 60Hz
- **Power:** 135W
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

 **FDA Prop65**



10 heat settings
(1-2-3-4-5-6-7-8-9-H)

120 mins Auto-off



SW-H22D / SW-H1822D

- **Size:** 24"x33" / 24"x37"
- **Material:** Soft flannel fleece
- **Voltage:** 120V~ 60Hz
- **Power:** 135W
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

 **FC Prop65 FDA**



3 heat settings
(Low-Med-High)

120 mins Auto-off

C18
90 mins Auto-off



UL&cUL FC Prop65

SW-F0113A / SW-F0113B / SW-F0113C

- **Size:** 24"x33" / 24"x35" / 24"x36"
- **Material:** Super cosy flannel
- **Voltage:** 120V~ 60Hz
- **Power:** 130W
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

4 heat settings
(Warm-Low-Med-High)

120 mins
Auto-off



Big Massage Heat Wrap



UL&cUL FC CP65 FDA

SW-F0213A / SW-F0213B / SW-F0213C

- **Size:** 24"x33" / 24"x35" / 24"x36"
- **Material:** Super cosy flannel
- **Voltage:** 120V~ 60Hz
- **Power:** 130W
- Current time and temperature level LCD display
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

6 heat settings
(1-2-3-4-5-6)

4 time settings
(30-60-90-120mins)



UL&cUL FC Prop65 FDA

SW-MF13A

- **Size:** 24"x35"
- **Material:** Rhombic printing PV fabric & flannel fleece
- **Voltage:** 120V~ 60Hz
- **Power:** 130W
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

3 heat settings
(Low-Med-High)
2 hours Auto-off

3 massage settings
(Low-Med-High)
15 mins Auto-off



Waist Warmer

UL&cUL FC CP65 FDA

SW-H30D / SW-H1830D

- **Size:** 15"x22"
- **Material:** Super cosy flannel
- **Voltage:** 120V~ 60Hz
- **Power:** 50W
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

3 heat settings
(Low-Med-High)

120 mins
Auto-off

C18
90 mins Auto-off

UL&cUL FC Prop65 FDA

SW-HM02

- **Size:** 33"x26"
- **Material:** Super cosy flannel
- **Voltage:** 120V~ 60Hz
- **Power:** 110W
- 2 motors vibration for massage
- 6 modes, 15 mins Auto-off
- Wrap around coverage with magnetic clasp
- Fast heating and overheating protection (PTC+NTC heating system)

3 heat settings
(Low-Med-High)

120 mins
Auto-off

Foot Warmer

Wellness & Health Care
Ideal for muscle
Joint pain relief



FW3511

- Size: 11.8"x 11.8"x 9.4"
- Material: Super cosy fleece surface and soft synthetic wool liner
- Voltage: 120V~ 60Hz
- Power: 60W
- Removable and washable liner
- Overheating protection

SS35

4 heat settings (1-2-3-4) 120 mins Auto-off

UL Intertek FC FDA




Fixed button

Zipper closure

Detachable controller

UL Intertek FC FDA



SW-F0122A

- Size: 30x30x25cm
- Material: Flannel & Sherpa fleece
- Voltage: 120V~ 60Hz
- Power: 105W
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

K01

4 heat settings (Warm-Low-Med-High) 120 mins Auto-off



SW-F0222A

- Size: 30x30x25cm
- Material: Flannel & Sherpa fleece
- Voltage: 120V~ 60Hz
- Power: 105W
- Current time and temperature level LCD display
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

K02

6 heat settings (1-2-3-4-5-6) 4 time settings (30-60-90-120mins)




SW-H30C / SW-H1830C

- Size: 20"x22"
- Material: Super cosy flannel and shu velveteen
- Voltage: 120V~ 60Hz
- Power: 95W
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)


3 heat settings (Low-Med-High)

120 mins Auto-off

FC FDA



Plate Warmer



SW-WP02

- Size: 198X30cm
- Material: Aluminum foil with TC cotton cover
- Voltage: 120V~ 60Hz
- Power: 200W
- Max fit for 12 plates
- Removable and washable cotton cover
- Fast heating and overheating protection

FC FDA



SW-F0123A/SW-F0223A/SW-F0323A

- Size: 20"x20"
- Material: Super cosy flannel
- Voltage: 120V~ 60Hz
- Power: 75W
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

FC FDA



K01

- 4 heat settings (Warm-Low-Med-High)
- 120 mins Auto-off

K02

- 6 heat settings (1-2-3-4-5-6)
- 4 time settings (30-60-90-120mins)

K03

- 3 heat settings (1-2-3)
- 4 time settings (0.5-1-1.5-2h)

· Current time and temperature level LCD display

12V Pet Heating Pad



Bite Proof Cable

LV-CWD001 / LV-CWD002

- Size: 18x16inch / 28x16inch
- Material: Stripe flannel fleece & flannel fleece
- Voltage: DC 12V 1A / DC 12V 1.5A
- Overheating protection
- Removable Cover for easy cleaning
- Wash Cover by hand with warm water and a neutral detergent
- UL/CE certificate for adapter

4 heat settings (Warm-Low-Medium-High)

24 hours Auto-off

For Japanese Market



J-OB31201/J-OB31202

- Size: 188x130cm/160x130cm
- Material: Double side flannel fleece /Flannel & Sherpa fleece
- Voltage: 100V
- Power: 115W
- Washable due to detachable controller
- Fast heating and overheating protection (PTC+NTC heating system)

10 heat settings (1-2-3-4-5-6-7-8-9-10) | 8 time settings (1h-2h-3h-4h-5h-6h-7h-8h)

PS E METI SS31

Foot warmer with massage

温熱マッサージシューズ

FW403

- Size: 30x30x24cm
- Material: Super cosy fleece surface and liner
- Input: 100-240V,50/60HZ
- Output: 12V,1.5A,18W
- Color: Customized

- Two motor vibration
- High/Low massage intensities
- 2 heat settings : High/Low
- Super cosy fleece liner is removable and washable
- PSE certificate for adapter



Electric Blanket 電気毛布

More Controllers



J-OB09N201/J-OB09N202

- Size: 188x130cm/160x130cm
- Material: Double side flannel fleece /Flannel & Sherpa fleece



J-OB09N101

- Size: 140x80cm/160x80cm
- Material: Double side plain fleece

Seat Heating Pad 電気座布団



J-HP06601

- Size: 94x43cm
- Material: soft corduroy fleece upper side + non-slip fabric lower side
- Power: 100W
- Voltage: 100V
- Color: Customized

Heating pad is installed in both the backrest and seating areas. Easily fixed to the seat by elastic cord.

NEW

PS E METI

USB Powered Heating Series

Portable & Cordless
Be used anywhere to warm



Power bank 10000 mAh

3 heat settings



High



Med



Low

USB Heated Poncho



HP332

- Size: 150x80cm
- Material: Super cosy flannel
- Power: 10W
- Voltage: DC 5V 2A
- 3 heat settings: High - Med - Low
- CE,IEC,ROHS Approval

USB Heating Pillow



HP322D

- Size: 45x45x15cm
- Material: Crystal cosy fleece
- Power: 10W
- Voltage: 5V 2A
- 3 heat settings: High - Med - Low
- CE/ROHS/REACH

USB Heating Scarf



LV-WJ001

- Size: 100x11cm
- Material: Crystal cosy fleece
- Voltage: 5V 1A
- 3 heat settings: High - Med - Low

USB Seat Heating Pad



LV-HP06601

- Size: 94x43cm
- Material: soft corduroy fleece upper side + non-slip fabric lower side
- Power: 18W
- Voltage: 9V 2A
- 3 heat settings: High - Med - Low



CAR HEATING BLANKET



Superior quality, competitive price, and reliable services

Initial Concepts Process

More to reveal soon...
Moving on & keep growing

LV-QC001

- Size: 55"x40"
- Material: Stripe flannel + sherpa
- Power: 45W
- Voltage: DC 12V 3.7A
- Plug into the cigarette lighter socket

4 heat settings (1-2-3-4) **4 hours Auto-Off**

K01

Regular Package

ETL Intertek SAINVIE HEATING PAD Warm & Healthcare 12*24 inch

joyplus HEATED OVERBLANKET EASY WARM & COZY LIFE 160*120 cm

joyplus HEATED OVERBLANKET EASY WARM & COZY LIFE 180*130 cm

ETL Intertek SAINVIE QUILTED HEATED THROW BLANKET EASY WARM & COZY LIFE 50*60 inch

joyplus FOOT WARMER EASY WARM & COZY LIFE 40*40*30 cm